# Notice of Allowability

Application No.	Applicant(s)	
10/692.428	SCHIEBER ET AL.	
Examiner	Art Unit	
MICHAEL C LAI	2157	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative

- of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.
- This communication is responsive to amendment filed on 3/12/2008.
- The allowed claim(s) is/are 1-3,7-24,26,27 and 30-47.
- 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a)  $\square$  All b) ☐ Some\* c) ☐ None of the:
    - 1. T Certified copies of the priority documents have been received.
    - 2. Certified copies of the priority documents have been received in Application No.
      - 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
  - \* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

- A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
- CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
  - (a) Including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
    - 1) hereto or 2) to Paper No./Mail Date
    - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).

6. 

DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

#### Attachment(s)

- 1. | Notice of References Cited (PTO-892)
- 2. Notice of Draftperson's Patent Drawing Review (PTO-948)
- 3. Information Disclosure Statements (PTO/SB/08),
- Paper No./Mail Date 3/31/2008
- 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
- 5. Notice of Informal Patent Application
- Interview Summary (PTO-413). Paper No./Mail Date 7/16/2008.
- 7. X Examiner's Amendment/Comment
- 8. T Examiner's Statement of Reasons for Allowance
- 9. ☐ Other .

/Ario Etienne/ SPE, Art Unit 2157 Application/Control Number: 10/692,428 Page 2

Art Unit: 2157

## DETAILED ACTION

This office action is responsive to amendment filed on 3/12/2008.

#### EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in telephone interviews with Rhys W. Cheung on 7/16/2008 and 7/21/2008.

The application has been amended as follows:

- In the specification (paragraph [0078], line 3, before "non-volatile"), please insert --- storage media (such as ---.
- In the specification (paragraph [0078], line 3, after "volatile media"), please insert --- ) ---.
- In the specification (paragraph [0079], line 1, before "a floppy"), please insert --- storage media such as ----.
- In the specification (paragraph [0079], line 4, after "cartridge,"), please insert
   --- transmission media such as ---.
- In claim 1, line 14, please insert before "." --- , and wherein the step of connecting said second set of one or more clients comprises the steps of: connecting each client of said second set of one or more clients at a different

Application/Control Number: 10/692,428 Page 3

Art Unit: 2157

time; and initiating the step of connecting each client based on a timeout mechanism configured on each client ---.

- Cancel claim 29.
- In claim 33, line 16, please insert before "." --- , and wherein the step of connecting said second set of one or more clients comprises the steps of: connecting each client of said second set of one or more clients at a different time; and initiating the step of connecting each client based on a timeout mechanism configured on each client ---.
- In claim 34, line 15, please insert before "." --- , and wherein the means of connecting said second set of one or more clients comprises: means for connecting each client of said second set of one or more clients at a different time; and means for initiating the step of connecting each client based on a timeout mechanism configured on each client ---.
- In claim 35, line 19, please insert before "." --- , and wherein the step of connecting said second set of one or more clients comprises the steps of: connecting each client of said second set of one or more clients at a different time; and initiating the step of connecting each client based on a timeout mechanism configured on each client ---.

#### Allowable Subject Matter

Claims 1-3, 7-24, 26, 27, and 30-47 are allowable based on applicant's

Amendments/Remarks filed on 3/12/2008 and examiner's Amendment filed on 7/21/2008.

Application/Control Number: 10/692,428 Page 4

Art Unit: 2157

### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael C. Lai whose telephone number is (571) 270-3236. The examiner can normally be reached on M-F 8:30 - 5:00 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ario Etienne can be reached on (571) 272-4001. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Michael C. Lai 21JUL2008

/Ario Etienne/ Supervisory Patent Examiner, Art Unit 2157